OPERATOR

MRC

For interior blinds and shutters.
Maximum torque 50 Nm.

110 VOLT AVAILABLE

850MRC10

230 V Tubular motor, Ø 45 mm, c/w bracket and crown drive adapter kit for octagonal tube 60 mm. 10 Nm torque

850MRC20

230 V Tubular motor, Ø 45 mm, c/w bracket and crown drive adapter kit for octagonal tube 60 mm. 20 Nm torque

850MRC30

230 V Tubular motor, Ø 45 mm, c/w bracket and crown drive adapter kit for octagonal tube 60 mm. 30 Nm torque

850MRC40

230 V Tubular motor, Ø 45 mm, c/w bracket and crown drive adapter kit for octagonal tube 60 mm. 40 Nm torque

850MRC50

230 V Tubular motor, Ø 45 mm, c/w bracket and crown drive adapter kit for octagonal tube 60 mm. 50 Nm torque

Materials	Kg/m2
PVC	5
Wood	10
Insulated aluminium	4
Extruded aluminium	8
Insulated steel	10
Armour-plated steel	16

Technical features	MRC10	MRC20	MRC30	MRC40	MRC50
Degree of protection	IP 44				
Power supply	230 V AC (50 - 60 Hz)				
Absorption	0,63 A	0,92 A	1,1 A	1,3 A	1,4 A
Absorbed power	146 W	205 W	230 W	292 W	308 W
Crown Speed	15 rpm	15 rpm	15 rpm	15 rpm	12 rpm
Lifting Power	18 kg	38 kg	56 kg	76 kg	94 kg
Operating temperature	-10° C ÷ +60° C				
Operating time	4 min.				
Torque	10 Nm	20 Nm	30 Nm	40 Nm	50 Nm

Features:
- tubular motor Ø 45 mm
- torque up to 50 Nm
- 230 V motor
- self-braking motor
- max. run time 4’

Pros:
- ideal for existing shutters / blinds quick installation
- easy setting of limit switches

Accessories

850AD60C
Replacement crown drive adapter kit for octagonal tube 60 mm

850DZ68
Replacement bracket for tubular motors

850SF553
Replacement bracket for MRC tubular motors

850CT60
Universal idler end cap for tube Ø 60 mm

850SF523
Adjustable bracket for MRC tubular motors

850BTOT607
Anti-lift stopper for octagonal tube 60 mm

850SF511
Bracket for MRC tubular motors

300PP
External surface-mounted pushbutton

850SF823
Click-in bracket for MRC tubular motors

750K330M
Electrical control panel with 433,92 MHz radio receiver and casing



	A
MRC10	488
MRC20	488
MRC30	558
MRC40	558
MRC50	558

Application chart for rolling shutters